


4





- 5LOPE SANITARY SEWER PIPING 1/4" PER FOOT IN DIRECTION INDICATED. (TYPICAL).
- 2) SANITARY SEWER DROP TO FIRST FLOOR. SEE PP310 FOR CONTINUATION.
- 3 SANITARY SEWER DROP TO FIRST FLOOR. SEE PP210 FOR CONTINUATION.
- WATER SUPPLY RISER FROM FIRST FLOOR ATTIC. SEE PP310 FOR CONTINUATION.
- 5 WATER SUPPLY RISER FROM FIRST FLOOR ATTIC. SEE PP210 FOR CONTINUATION.
- 6 3/4" HUR RISER FROM FIRST FLOOR ATTIC. SEE PP310 FOR CONTINUATION.
- WATER SUPPLY RISER UP FROM FIRST FLOOR ATTIC AND UP THROUGH ROOF. SEE PP310 AND PP230 FOR CONTINUATION. 8 VENT UP FROM FIRST FLOOR ATTIC AND UP THROUGH ROOF. SEE PP310 AND PP230 FOR CONTINUATION.
- 9) VENT UP THROUGH ROOF. SEE PP230 FOR CONTINUATION.
- GAS-FIRED INSTANTANEOUS WATER HEATER MOUNTED ON WALL WITH CONCENTRIC DIRECT VENTING THROUGH ROOF.
- 1 I-HOUR FIRE RATED WALL. SEE ARCHITECTURAL DRAWINGS.
- 12 ACOUSTICAL SOUND WALL, SEE ARCHITECTURAL DRAWINGS.

CONSULTANTS:



D 4

one dua

one eighth inch = one foot

0 4 8 16

LP Consulting Engineers, Inc. 895 W. Ashlan Ave, Suite 101 Clovis, CA 93612 p 559-348-2130 - f 559-348-2131 www.lpengineers.com Job #: 11-1098.1

3



6

5

SECOND FLOOR PARTIAL PLUMBING **PLANS** Approved: Project Director

7

Mental Health Psychosocial 570-217 Rehab Recovery and Health Care for Homeless Veteran Center 37 2615 E. CLINTON AVE, FRESNO, CA 93703

PD, GL DN

Drawing Number

Dwg. of

Project Number

Department of Veterans Affairs

Office of

Construction

and Facilities

Management: